



MICROTUBES B7K
10TH-ANNIVERSARY EDITION
USER MANUAL

Microtubes B7K "10 Anniversary" Limited Edition



An homage to an icon


This limited edition is a celebration of the pedal that got us started - this is a tribute to every bass player that believed in the adventure of cutting into the mix and a commendation for the incredible support and loyalty that we have received since our humble beginnings.


Controls

  : Sets the volume of the overdriven signal.

  : Sets the amount of saturation in the overdriven signal.

  : Mixes the clean input signal with the overdriven signal. The clean signal remains at unity gain while the volume of the overdriven signal is set by the Level knob, allowing for fine control of the blend ratio.

 : Sets the amount of low frequency content to saturate by selecting between three different bass boost levels before the clipping stage.


 : Sets the amount of treble content to saturate: The "Boost" setting emphasizes the treble content extra clarity and presence. The "Flat" position leaves this register untouched while the "Cut" position will reduce the amount of high frequencies being saturated.

 : +12dB @ 100Hz

 : +12dB @ 1kHz

 : +12dB @ 2.8kHz

 : +12dB @ 5kHz

 : A balanced version of the 1/4" output, useful for running into PA's or studio mixing consoles.

Warning

The Microtubes B7K has a current draw of 30mA. Only use a regulated 9V DC adapter with a center-negative plug. Due to ecological reasons it does not accept batteries. Unregulated power supplies and/or higher voltages may result in suboptimal noise performance and even damage your unit, voiding the warranty.

Warranty

To activate the warranty, we encourage you to register your product on: <http://mypedal.darkglass.com> and enter the serial number on the back of your pedal.

Please contact us via email support@darkglass.com before shipping a product to us.

Dimensions

Width	94 mm (3.70 in)
Height	120 mm (4.72 in)
Depth	46 mm (1.81 in)
Weight	320 g (0.70 lb)

Disclaimer

In the interest of continuous improvement, specifications are subject to change without notice. If you have any questions, please don't hesitate to contact us at www.darkglass.com

The manufacturer claims that the above product fulfills the requirements as set by EN55013, EN55020, EN60555-2, EN60555-3, RoHS, WEEE.



DARKGLASS ELECTRONICS OY.
HELSINKI, FINLAND
WWW.DARKGLASS.COM